

Anchor Name Links

Anchor Name Links (tag) are used for links *within* a page. I.e., a reference at the top of a page will link to a paragraph in the middle of the page—here's how it works:

The Tag:

Create the link as you usually would except to precede it with a hatch mark or number/pound sign (#).

Place the tag where you want the link to land; the **target**. The tag looks like this:

```
<A name=target></A>
```

It takes no space and is invisible in the browser.

Example:

The link would look like this:

The meeting will be held at John Muir Hospital, [directions below](#).

The link would be written like this:

```
The meeting will be held at John Muir Hospital, <a href="#jmhDirections">directions below</a>.
```

Place the tag where you want the link to land. The target looks like this:

```
<A name=jmhDirections></A>Directions to John Muir Hospital: Take a left at the light...
```

Particular to Oracle:

Create the tag as a *Text Item* in HTML mode.

The target appears best when the tag is placed on the line above it, usually the last line of the previous Region.

Preceded the link with the full (absolute) URL:

```
The meeting will be held at John Muir Hospital, <a href="http://oraweb1.hsys.local:7778/portal/page?_pageid=116,300061&_dad=portal&_schema=PORTAL#jmhDirections">directions below</a>.
```

Intranet pages with Anchor Name Tags:

- [Service Lines](#)
- [Phone Instructions](#)